



Shackle DIN A 82101

Product information

Dee shackles with screw collar pin.

Proof: 2 x WLL.

Material: Bow and pin high tensile steel.

Marking: According to standard, WLL, supplies code and grade.

Finish: Hot dipped galvanized or self coloured.

Standard: DIN 82101A

Note: Shackle no. 0.1 is electro-galvanized and will not have any markings as it is too small.

Safety factor: 5:1

Grade: 4

Part code	WLL ton	a mm	c mm	d mm	d1 mm	d2 mm	Weight kg	Delivery time
420100010092	0.1	7	15.5	5	M5	10	0.02	19
420100020090	0.16	8	18	6	M6	12	0.02	19
420100030090	0.25	11	24	8	M8	16	0.05	19
420100040090	0.4	14	30	10	M10	20	0.1	19
420100060090	0.6	17	36	12	M12	24	0.18	19
420100100090	1	21	49	13	M16	32	0.3	19
420100160090	1.6	27	61	16	M20	40	0.57	19
420100200090	2	30	67	20	M22	44	0.98	19
420100250090	2.5	33	73	22	M24	48	1.3	2
420100320090	3.15	38	83.5	25	M27	54	1.85	19
420100400090	4	42	91	28	M30	60	2.53	19
420100500090	5	47	111	32	M36	72	4	2
420100630090	6.3	53	119.5	36	M39	78	5.3	19
420100800090	8	60	139.5	41	M45	90	7.9	2
420101000090	10	66	147	44	M48	96	10	19
420101250090	12.5	73	158	49	M52	104	13.5	19
420101600090	16	81	185	55	M60	120	19.2	19
420102000090	20	90	211	61	M68	136	28	19
420102500090	25	100	221	67	M72	144	34	19

Blueprint

