Lifting Solutions Group
Axel Johnson International

Vertical lifting TCK

Product information



For vertical lifting and transporting of structures where a square tube is used as a frame, e .g . mobile units etc . If the clamp is being loaded, the cams will pull out sideways and will grip into the sides of the square tube.

Features:

- Because of the compact design of the clamp, the clamp will not use more space than the dimensions of the square tube
- Equipped with articulated lifting shackle for extra lifting flexibility (max 30o)
- Standard with 2 high grip pivots for extra powerful clamping force
- Special locking devise ensuring safe and easy handling
- Lightweight design for easy handling

... *Read more*

Marking: CE-mark, Type, serial number, WLL, Jaw opening.
Note: The plate surface of the material must have a hardness level of max. HrC 37/345 Hb
Warning: Min . WLL is 10% of max . WLL

Certex Lietuva UAB
info@certex.lt
+370 5 2300020

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Vertical lifting TCK

Blueprint



Technical data

Part code	Code	WLL ton	Jaw width mm	U mm	X mm	H mm	T mm	Y mm	V mm	Weight kg
502100300701670	3 TCK	3	62-70	449	60	200	70	16	100	6.9

Certex Lietuva UAB
info@certex.lt
+370 5 2300020

© November 2026 - All Rights Reserved