CERTEX | Lifting Solutions Group
Axel Johnson International

Beam Clamp TOBK

Product information



For horizontal lifting, transportation and stacking of steel (H) beams, profiles and structures.

Features:

- Special design makes it possible to lift steel (H) beams on the flange as well as on the upper ends of the beam
- Always equipped with a safety mechanism, ensuring the clamp does not slip when lifting force is applied and when load is being lowered
- Clamp is locked in closed as well as open position
- Lightweight design for easy handling
- Tough quality heavy duty welded shell body
- Maintenance-friendly, easy to exchange parts. Parts available upon request

... Read more

Marking: According to standard, CE-mark, Type, serial number, WLL, Jaw opening
Temperature range: - 40°C to +100°C.
Standard: EN 13155
Warning: Surface hardness of the beam must not exceed 37 HrC (345 Hb, 1,166 N/mm2)

Certex Lietuva UAB
info@certex.lt
+370 5 2300020

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Beam Clamp TOBK

Blueprint



Technical data

Part code	Code	WLL ton	Beam width mm	H mm	S mm	T mm	U mm	V mm	W mm	X mm	Z mm	Weight kg
502300200200530	2 TOBK	2	3-20	154	64	64	310	192	30	65	285	6.8

Certex Lietuva UAB
info@certex.lt
+370 5 2300020

© November 2026 - All Rights Reserved