

Vacuum Beam Battery-powered AERO-INDEPEND

Product information



The standard vacuum beam AERO-INDEPEND is a battery-powered version of the AERO-BASIC models. This self-sufficient power pack offers a flexible vacuum lifting beam for indoor use.

Thanks to the integrated pump control module, you get maximum battery runtimes, which ensures intelligent regulation of the vacuum generator. After the operating vacuum is generated, the pump is switched to stand-by mode.

With the AERO-INDEPEND vacuum lifting beam you can lift metal sheets, plastics, glass and panels.

Product variants

The AERO-INDEPEND vacuum lifting beams are available in more versions with:

- Load capacities from 150 kg up to 1.000 kg
- From 4 up to 8 suction plates
- With 2 up to 4 cross beams
- Different suction plate diameters, suspension eyes etc.

Part code	WLL ton	Model	D,	L	B,	LG mm	H EH/B EH mm	EH mm	Weight kg	Delivery time
56051031647	0.15	AE-INDEPEND AERO 150/4R/2000	170	2,000	1,000	850-1250	92x60	690	100	20
56051031655	0.15	AE-INDEPEND AERO 150/6R/2000	120	2,000	1,000	850-1250	92x60	690	110	20
56051031671	0.4	AE-INDEPEND AERO 400/4R/2000	210	2,000	1,000	850-1250	92x60	730	105	20
56051031679	0.4	AE-INDEPEND AERO 400/6R/2000	170	2,000	1,000	850-1250	92x60	690	110	20
56051031695	0.4	AE-INDEPEND AERO 400/8R/2000	170	2,000	1,000	850-1250	92x60	690	120	20
56051031711	0.6	AE-INDEPEND AERO 600/4R/2000	270	2,000	1,000	850-1250	92x60	740	110	20
56051031719	0.6	AE-INDEPEND AERO 600/6R/2000	210	2,000	1,000	850-1250	92x60	740	120	20
56051031735	0.6	AE-INDEPEND AERO 600/8R/2000	210	2,000	1,000	850-1250	92x60	740	135	20
56051031751	0.9	AE-INDEPEND AERO 900/6R/2000	270	2,000	1,000	850-1250	92x60	740	125	20
56051031759	0.9	AE-INDEPEND AERO 900/8R/2000	270	2,000	1,000	850-1250	92x60	740	140	20
56051031767	1	AE-INDEPEND AERO 1000/6R/2000	270	2,000	1,000	860-1260	120x80	860	165	20
56051031775	1	AE-INDEPEND AERO 1000/8R/2000	270	2,000	1,000	860-1260	120x80	860	180	20

Blueprint

