

## Vacuum Beams AERO-BASIC



### Product information

The standard vacuum lifting beams AERO-BASIC are designed from heavy and hard-wearing materials for use in tough/adverse industrial environments without affecting their life expectancy. Guaranteed work and operator safety are ensured by the generously sized vacuum reservoir equipped with an intelligent warning device.

The beams are for lifting smooth and air-tight plates. They are typically used for lifting steel and aluminium sheets but can also lift synthetic plates, glass, plastics, PVC and other air-tight items without problems.

### Product variants

The AERO-BASIC vacuum lifters are available in different versions:

- Load capacities from 150 kg up to 2.000 kg
- From 4 up to 10 suction plates
- With 2 up to 5 cross beams
- Different suction plate diameters, cross beam lengths, handle lengths, suspension eyes, etc.

Part code	WLL ton	Model	D,	L	B,	LG mm	H EH/B EH mm	EH mm	Weight kg	Delivery time
56051031995	0.15	AE 150/4R/2000	170	2,000	1,000	850-1250	92x60	690	90	20
56051030905	0.15	AE 150/6R/2000	120	2,000	1,000	850-1250	92x60	690	95	20
56051032032	0.4	AE 400/4R/2000	210	2,000	1,000	850-1250	92x60	730	95	20
56051031000	0.4	AE 400/6R/2000	170	2,000	1,000	850-1250	92x60	690	100	20
56051031064	0.4	AE 400/8R/2000	170	2,000	1,000	850-1250	92x60	690	110	20
56051031128	0.6	AE 600/4R/2000	270	2,000	1,000	850-1250	92x60	740	95	20
56051032078	0.6	AE 600/6R/2000	210	2,000	1,000	850-1250	92x60	740	110	20
56051031223	0.6	AE 600/8R/2000	210	2,000	1,000	850-1250	92x60	740	125	20
56051031287	0.9	AE 900/6R/2000	270	2,000	1,000	850-1250	92x60	740	115	20
56051031319	0.9	AE 900/8R/2000	270	2,000	1,000	850-1250	92x60	740	130	20
56051031351	1	AE 1000/6R/2000	270	2,000	1,000	860-1260	120x80	860	170	20
56051031383	1	AE 1000/8R/2000	270	2,000	1,000	860-1260	120x80	860	185	20
56051031415	1.5	AE 1500/6R/3000	350	3,000	1,000	860-1260	120x80	870	185	20
56051031431	1.5	AE 1500/8R/3000	350	3,000	1,000	860-1260	120x80	870	205	20
56051031447	1.5	AE 1500/10R/3000	270	3,000	1,000	860-1260	120x80	860	215	20
56051031463	2	AE 2000/8R/3000	350	3,000	1,000	860-1260	120x80	870	205	20

# Blueprint

