

Vacuum Tube Lifter FORCE-LIFT®



Product information

The Force-Lift tube lifter from AERO-Lift is versatile and can be used for all types of loads, whether light or heavy. As the most powerful tube lifter with one-hand operation on the market, it can effortlessly lift loads of up to 75 kg.

With its quick-change suction feet, it is able to safely handle airtight materials as well as porous or irregular surfaces. Another highlight is the ability to keep the Force-Lift in a floating parking position both with and without transported goods.

Extremely comprehensive equipment of the basic product:

- Quick-change coupling,
- Motor protection switch (protects the vacuum generator from winding damage)
- Integrated quick-release function (uncoupling function)
- Function for 360° horizontal rotation
- 90° tilting function (to grip lifting goods vertically and move them horizontally)

Marking: According to standard, CE-marked

Standard: EN 14238

| Part code | WLL ton | Lifting height m | Type | Description | D, | Z mm | EH | Weight kg | Delivery time |
|-------------|---------|------------------|----------------------|---------------|-----|-------|-------|-----------|---------------|
| 56051000598 | 0.03 | 1.3 | FL-30-P50/100/1700 | Vacuum pump | 100 | 130 | 2,270 | 6.9 | 20 |
| 56051000599 | 0.03 | 1.53 | FL-30-P50/100/2000 | Vacuum pump | 100 | 1,530 | 2,570 | 6.9 | 20 |
| 56051000600 | 0.03 | 1.795 | FL-30-P50/100/2300 | Vacuum pump | 100 | 1,795 | 2,870 | 6.9 | 20 |
| 56051000601 | 0.035 | 1.32 | FL-35-P50/120/1700 | Vacuum pump | 120 | 1,320 | 2,270 | 9.2 | 20 |
| 56051000602 | 0.035 | 1.55 | FL-35-P50/120/2000 | Vacuum pump | 120 | 1,550 | 2,570 | 9.2 | 20 |
| 56051000603 | 0.035 | 1.782 | FL-35-P50/120/2300 | Vacuum pump | 120 | 1,782 | 2,870 | 9.2 | 20 |
| 56051000607 | 0.04 | 1.32 | FL-40-SV400/120/1700 | Vacuum pump | 120 | 1,320 | 2,270 | 9.5 | 20 |
| 56051000608 | 0.04 | 1.55 | FL-40-SV400/120/2000 | Vacuum pump | 120 | 1,550 | 2,570 | 9.5 | 20 |
| 56051000609 | 0.04 | 1.782 | FL-40-SV400/120/2300 | Vacuum pump | 120 | 1,782 | 2,870 | 9.5 | 20 |
| 56051000604 | 0.045 | 1.32 | FL-45-P80/120/1700 | Vacuum blower | 120 | 1,320 | 2,270 | 9.2 | 20 |
| 56051000605 | 0.045 | 1.55 | FL-45-P80/120/2000 | Vacuum blower | 120 | 1,550 | 2,570 | 9.2 | 20 |
| 56051000606 | 0.045 | 1.782 | FL-45-P80/120/2300 | Vacuum blower | 120 | 1,782 | 2,870 | 9.2 | 20 |
| 56051000610 | 0.075 | 1.34 | FL-75-SV400/160/1700 | Vacuum blower | 160 | 1,340 | 2,270 | 13.6 | 20 |
| 56051000611 | 0.075 | 1.58 | FL-75-SV400/160/2000 | Vacuum blower | 160 | 1,580 | 2,570 | 13.6 | 20 |
| 56051000612 | 0.075 | 1.815 | FL-75-SV400/160/2300 | Vacuum blower | 160 | 1,815 | 2,870 | 13.6 | 20 |

Blueprint

